


QPCR SYSTEM 5000



THE QPCR SYSTEM 5000
INCLUDES THE
INSTRUMENTATION,
REAGENTS AND SOFTWARE
YOU NEED TO QUANTITATE
PCR PRODUCTS AS
RAPIDLY AS ONE SAMPLE
PER MINUTE.

Electrochemiluminescence. Shed New Light On Quantitative PCR.

Electrochemiluminescence. The technological breakthrough for quantitative PCR. Giving you the sensitivity and specificity you need to detect and measure PCR products at the attomole level with flexibility and speed for your applications. All with the convenience and safety of nonisotopic detection.

With the new QPCR™ System 5000, Perkin-Elmer integrates the inherent analytical capabilities of electrochemiluminescence with the power of automation in a complete system for the rapid quantitation of PCR products. The QPCR System 5000 also comes with the expertise and support behind Perkin-Elmer's PCR Performance Guarantee.

For more information on the QPCR System 5000 for the rapid quantitation of PCR products, contact your Perkin-Elmer sales representative or call 1-800-762-4000. To order, call 1-800-762-4002. Outside the U.S., contact your Perkin-Elmer sales representative.


PERKIN ELMER

Europe Vaterstetten, Germany Tel: 49-8106-381-115 Fax: 49-8106-6697
Canada Montreal, Canada Tel: 514-737-7575 Fax: 514-737-9726
Far East Melbourne, Australia Tel: 61-3-560-4566 Fax: 61-3-560-3231
Latin America Mexico City, Mexico Tel: 52-5-651-7077 Fax: 52-5-593-6223

Perkin-Elmer PCR reagents are developed and manufactured by Roche Molecular Systems, Inc., Branchburg, New Jersey, U.S.A.



Perkin-Elmer is a registered trademark and QPCR is a trademark of The Perkin-Elmer Corporation. The GeneAmp PCR process is covered by U.S. patents owned by Hoffmann-La Roche Inc. and Hoffmann-La Roche Ltd. Perkin-Elmer is exclusively licensed for the detection of PCR products by electrochemiluminescence, except as applied to diagnostic procedures, under patents or patent applications owned by IGEN, Inc., Rockville, MD.



METHODS • AND • APPLICATIONS

Editors

David Bentley
Sanger Centre
Richard Gibbs
Baylor College of Medicine
Eric Green
Washington University School of Medicine
Richard Myers
Stanford University School of Medicine

Editorial Board

Rakesh Anand
Zeneca Pharmaceuticals
Johannes Bos
University of Utrecht
Anne Bowcock
University of Texas Southwestern Medical Center
Jeff Chamberlain
University of Michigan Medical School
Nicholas Dracopoli
National Center for Human Genome Research
Joe Ecker
University of Pennsylvania
Ray Fenwick
Dianon Systems, Inc.
Kenshi Hayashi
National Cancer Center Research Institute, Tokyo
Bernhard Horsthemke
University of Essen
Pieter de Jong
Lawrence Livermore National Laboratory
David Kemp
Menzies School of Health Research
Mary-Claire King
University of California, Berkeley
Ulf Landegren
University of Uppsala Medical Center
Doug Marchuk
University of Michigan Medical School
Chris Mathew
UMDS Guy's & St. Thomas' Medical and Dental School
David Nelson
Baylor College of Medicine
Debbie Nickerson
University of Washington School of Medicine
Svante Pääbo
University of Munich
Lena Peltonen
University of Helsinki
Eric Spitzer
SUNY at Stony Brook
Lap-Chee Tsui
Hospital for Sick Children, Toronto
Rick Wilson
Washington University School of Medicine
Steven Wolinsky
Northwestern University School of Medicine
Maria Zapp
University of Massachusetts Medical Center

Managing Editor

Judy Cuddihy
Cold Spring Harbor Laboratory Press

February, 1994
Volume 3, Number 4

Contents

RESEARCH

- 219 T-cassette Ligation: A Method for Direct Sequencing and Cloning of PCR-amplified DNA Fragments**
Hiroyuki Iwahana, Katsuhiko Yoshimoto, Toshiyuki Tsujisawa, and Mitsuo Itakura
- 225 Detection of DNA Sequence Variation via Deliberate Heteroduplex Formation from Genomic DNAs Amplified en masse in Population Tubes**
Gualberto Ruano, Amos S. Deinard, Sarah Tishkoff, and Kenneth K. Kidd
- 232 An Efficient Polymerase Chain Reaction Approach for the Quantitation of Multiple RNAs in Human Tissue Samples**
Adrian Puntschart, Kristin Jostardt, Hans Hoppeler, and Rudolf Billeter
- 239 Amplification of DNA from Whole Blood**
J. Burckhardt

TECHNICAL TIPS

- 244 Amplification of Ancient Nuclear DNA from Teeth and Soft Tissues**
Scott R. Woodward, Marie J. King, Nancy M. Chiu, Marvin J. Kuchar, and C. Wilfred Griggs
- 248 Secondary Structure within PCR Target Sequences May Facilitate Heteroduplex Production**
E. Separovic and S.A. Nadin-Davis
- 252 Rapid Construction of Deleted DNA Fragments for Use as Internal Standards in Competitive PCR**
Chuan-Fang Jin, Marina Mata, and David J. Fink

(continued)

Published by Cold Spring Harbor Laboratory Press.
Sponsored by The Perkin-Elmer Corporation.

Editorial Staff
Nadine Dumser, Technical Editor
Valerie Nicolette, Production Editor
Doris Lawrence, Secretary
Jim Suddaby, Design

Advertising
Nancy Kuhle

256 **Product News**

MANUAL SUPPLEMENT

259 **Getting Started: A PCR Primer**
261 *Contents*