


# Spin your way to clean DNA with QIAquick

Take QIAquick Kits for a spin and see how easy it is to clean up DNA fragments. QIAquick microspin membrane technology means:

- 99% contaminant removal
- up to 90% recovery of DNA
- fast 5 – 15 minute procedures
- optimized buffers for each application

Say good-bye to time-consuming phenol extraction, gel filtration, ethanol precipitation and electroelution — with QIAquick microspin technology you simply load the sample, wash, and elute. The whole procedure takes 5 to 15 minutes from start to finish. Purified DNA is recovered with up to 90% efficiency, ready for use in all standard applications, such as restriction, ligation, transformation, hybridization, PCR, and sequencing.

QIAquick is available in 3 specialized kits. Each kit has different buffers, designed to provide optimum purification in each specific application:



*Agarose gel analysis of radioactive labeling reactions before (b) and after (a) purification using QIAquick Nucleotide Removal Kit.*

**QIAquick Gel Extraction Kits** extract DNA fragments between 100 bp and 10 kb from TAE and TBE agarose gels.

**QIAquick PCR Purification Kits** separate primers (up to 40 bases), nucleotides, mineral oil, and other reagents from ds and ss PCR products as small as 100 bp.

**QIAquick Nucleotide Removal Kits** clean up DNA fragments and oligos as small as 20 bases after labeling, sequencing and other enzymatic reactions.

To find out more about the range of QIAquick Kits, contact QIAGEN or your local distributor — and spin your way to clean DNA.

**QIAGEN GmbH:** Max-Volmer-Straße 4, 40724 Hilden, Germany, Orders (0)2103-892-230, Fax (0)2103-892-222, Technical Service (0)2103-892-240  
**QIAGEN Inc.:** 9600 De Soto Avenue, Chatsworth, CA 91311, USA, Orders 800-426-8157, Fax 800-718-2056, Technical Service 800-DNA-PREP (800-362-7737)  
**QIAGEN Ltd.:** Unit 1, Tillingbourne Ct., Dorking Business Park, Dorking, Surrey RH4 1HU, UK, Orders (0306) 740 444, Fax (0306) 875 885, Technical Service (0306) 740 444

**DISTRIBUTORS:** **AUSTRALIA:** BRESATEC Ltd. (08)-234 2644 **AUSTRIA:** BIO-TRADE (1)-889 18 19 **BENELUX:** Westburg B.V. NL: (033)-950094 B: (078)-119815 (toll free)  
**DENMARK:** Struers KEBO Lab A/S (43)-86 87 88 **FINLAND:** KEBO Lab Oy (0)-804 4900 **FRANCE:** Cogier (1)-45-32-35-17 **GREECE:** Bio-Analytica Ltd. (01)-6436138  
**HONG KONG/CHINA:** Arnwald International Ltd. (852)-724 5082 **INDIA:** Genetix: (11)-546 7637 **ISRAEL:** BIO-LAB Laboratories Ltd. (02)-524447 **ITALY:** Genenco (M-Medical srl) (055) 5001871 **JAPAN:** FUNAKOSHI Co., Ltd. (03)-5684-1620 **KOREA:** LRS Laboratories, Inc. (02) 924-8697 **NORWAY:** KEBO Lab AS (47) 22 90 00 00 **PORTUGAL:** IZASA PORTUGAL, LDA. (1)-7570740 **RSA:** WHITEHEAD SCIENTIFIC SUPPLIES (021) 981 1560 **SINGAPORE:** TIBS Trading Pte Ltd. (Biotech Branch) (65) 292 9783 **SPAIN:** IZASA S.A. (91)-663-05-00 **SWEDEN:** KEBO Lab (08) 621 34 00 **SWITZERLAND:** KONTRON Instruments AG (01)-733-5-733 **TAIWAN:** Formo Industrial Co., Ltd. (02)-736-7125





## RESEARCH

- 71 Use of Vectorette and Subvectorette PCR to Isolate Transgene Flanking DNA**  
Maxine J. Allen, Andrew Collick, and Alec J. Jeffreys
- 76 Detection of p53 Gene Mutation in Cancer Tissues by Nonradioactive Direct Sequencing**  
Dolores Bautista, Pascal Chaubert, Joëlle Bertoncini, and Jean Benhattar
- 80 Detection of HCV RNA by the Asymmetric Gap Ligase Chain Reaction**  
R.L. Marshall, T.G. Laffler, M.B. Cerney, J.C. Sustachek, J.D. Kratochvil, and R.L. Morgan
- 85 PCR Analysis of the H Ferritin Multigene Family Reveals the Existence of Two Classes of Processed Pseudogenes**  
B. Quaresima, M.T. Tiano, A. Porcellini, P. D'Agostino, M.C. Faniello, M.A. Bevilacqua, F. Cimino, and F. Costanzo
- 89 Analysis of Nonspecific DNA Synthesis during In Situ PCR and Solution-phase PCR**  
Gerard J. Nuovo, Phyllis MacConnell, and Frances Gallery
- 97 Parameters Affecting the Sensitivities of Dideoxy Fingerprinting and SSCP**  
Qiang Liu and Steve S. Sommer
- 109 Effect of Internal Direct and Inverted Alu Repeat Sequences on PCR**  
Weizhen Ji, Xian-Yang Zhang, G. Sakuntala Warshamana, Guang-zhi Alan Qu, and Melanie Ehrlich
- 117 Reliability of PCR Decontamination Systems**  
C. Niederhauser, C. Höfelein, B. Wegmüller, J. Lüthy, and U. Candrian

## TECHNICAL TIPS

- 124 Amplification of Gene Fragments with Very High G/C Content:  $c^7$ dGTP and the Problem of Visualizing the Amplification Products**  
Johanna Weiss, Hans-Dieter Zucht, and Wolf-Georg Forssmann

(continued)

### Editors

David Bentley  
Sanger Centre  
Richard Gibbs  
Baylor College of Medicine  
Eric Green  
National Center for Human Genome  
Research, NIH  
Richard Myers  
Stanford University School of Medicine

### Editorial Board

Rakesh Anand  
Zeneca Pharmaceuticals  
Johannes Bos  
University of Utrecht  
Anne Bowcock  
University of Texas Southwestern Medical  
Center  
Jeff Chamberlain  
University of Michigan Medical School  
Nicholas Dracopoli  
National Center for Human Genome  
Research, NIH  
Joe Ecker  
University of Pennsylvania  
Ray Fenwick  
Biodale Laboratories  
Kenshi Hayashi  
National Cancer Center Research Institute,  
Tokyo  
Bernhard Horsthemke  
University of Essen  
Pieter de Jong  
Roswell Park Cancer Institute  
David Kemp  
Menzies School of Health Research  
Mary-Claire King  
University of California, Berkeley  
Ulf Landegren  
University of Uppsala Medical Center  
Doug Marchuk  
Duke University Medical School  
Chris Mathew  
UMDS Guy's & St. Thomas' Medical and  
Dental School  
David Nelson  
Baylor College of Medicine  
Debbie Nickerson  
University of Washington School of Medicine  
Svante Pääbo  
University of Munich  
Lena Peltonen  
University of Helsinki  
Eric Spitzer  
SUNY at Stony Brook  
Lap-Chee Tsui  
Hospital for Sick Children, Toronto  
Rick Wilson  
Washington University School of Medicine  
Steven Wolinsky  
Northwestern University School of Medicine  
Maria Zapp  
University of Massachusetts Medical Center

### Managing Editor

Judy Cuddihy  
Cold Spring Harbor Laboratory Press

Published by Cold Spring Harbor Laboratory Press.  
Sponsored by The Perkin-Elmer Corporation.

*Editorial Staff*  
Nadine Dumser, Technical Editor  
Valerie Nicolette, Production Editor  
Doris Lawrence, Secretary  
Jim Suddaby, Design

*Advertising*  
Nancy Kuhle

- 126** Rapid Isolation of cDNA Clones by Aliquot Testing via PCR Amplification  
*A. Di Bacco, L. Susani, A. Villa, D. Strina, A. Frattini, P. Vezzoni, and I. Zucchi*
- 129** Assessment of Colinearity between Large Cloned DNA Fragments and Genomic DNA  
*Peter Verhasselt and Guido Volckaert*
- 133** **Product news**
- MANUAL SUPPLEMENT**
- 135** **Getting Started: A PCR Primer**
- 137** *Contents*