


15 kb

Announcing a PCR breakthrough of major proportions.

3 kb

4 kb



**GeneAmp XL PCR.**  
 Lanes 1-3:  $\beta$ -globin cluster,  
 human genomic DNA, 13.5,  
 17.7, 19.6 kb; Lanes 4 & 5:  
 $\lambda$  DNA 20.8, 26.4 kb;  
 M: High molecular weight  
 marker.

The new GeneAmp® XL PCR Kit makes generating long PCR products a routine procedure. In fact, we QC test the kit for 20 kb using lambda DNA.

Our new *rTth* DNA Polymerase, XL, in combination with a novel reaction buffer, creates optimal conditions for generating long PCR products with high reproducibility and specificity.

What's more, the GeneAmp XL PCR Kit is optimized on GeneAmp® PCR Instrument Systems, and backed by our PCR performance guarantee. It's just as convenient as our other PCR kits, and opens up new possibilities for mapping, sequencing and genome analysis.

The integrated resources of our Applied Biosystems Division offer you the most comprehensive range of systems, technologies and support in

PCR, nucleic acid synthesis, genetic analysis and protein research.

The GeneAmp XL PCR Kit—a major breakthrough in PCR technology. To order in the U.S., call 1-800-327-3002. For PCR technical support, call 1-800-762-4001. For more information, call 1-800-345-5224. Outside the U.S., contact your local Perkin-Elmer representative.


**PERKIN ELMER**

**Europe** Langen, Germany Tel: 49-6103-708-0 Fax: 49-6103-708-210  
**Canada** Mississauga, Canada Tel: 905-821-8183 Fax: 905-821-8246  
**Japan** Tokyo, Japan Tel: 81-473-80-8500 Fax: 81-473-80-8505  
**Latin America** Mexico City, Mexico Tel: 52-5-651-7077 Fax: 52-5-593-6223  
**Australia** Melbourne, Australia Tel: 61-3-212-8585 Fax: 61-3-212-8502

Perkin-Elmer PCR reagents are developed and manufactured by Roche Molecular Systems, Inc., Branchburg, New Jersey, U.S.A.



Perkin-Elmer is a registered trademark of The Perkin-Elmer Corporation. GeneAmp is a registered trademark of Roche Molecular Systems, Inc. The GeneAmp PCR process is covered by the U.S. patents owned by Hoffmann-La Roche, Inc. and F. Hoffmann-La Roche Ltd.



**METHODS • AND • APPLICATIONS**

**Editors**

David Bentley  
*Sanger Centre*  
Richard Gibbs  
*Baylor College of Medicine*  
Eric Green  
*National Center for Human Genome  
Research, NIH*  
Richard Myers  
*Stanford University School of Medicine*

**Editorial Board**

Rakesh Anand  
*Zeneca Pharmaceuticals*  
Johannes Bos  
*University of Utrecht*  
Anne Bowcock  
*University of Texas Southwestern Medical  
Center*  
Jeff Chamberlain  
*University of Michigan Medical School*  
Nicholas Dracopoli  
*National Center for Human Genome  
Research, NIH*  
Joe Ecker  
*University of Pennsylvania*  
Ray Fenwick  
*Biodale Laboratories*  
Kenshi Hayashi  
*National Cancer Center Research Institute,  
Tokyo*  
Bernhard Horsthemke  
*University of Essen*  
Pieter de Jong  
*Roswell Park Cancer Institute*  
David Kemp  
*Menzies School of Health Research*  
Mary-Claire King  
*University of California, Berkeley*  
Ulf Landegren  
*University of Uppsala Medical Center*  
Doug Marchuk  
*Duke University Medical School*  
Chris Mathew  
*UMDS Guy's & St. Thomas' Medical and  
Dental School*  
David Nelson  
*Baylor College of Medicine*  
Debbie Nickerson  
*University of Washington School of Medicine*  
Svante Pääbo  
*University of Munich*  
Lena Peltonen  
*University of Helsinki*  
Eric Spitzer  
*SUNY at Stony Brook*  
Lap-Chee Tsui  
*Hospital for Sick Children, Toronto*  
Rick Wilson  
*Washington University School of Medicine*  
Steven Wolinsky  
*Northwestern University School of Medicine*  
Maria Zapp  
*University of Massachusetts Medical Center*

**Managing Editor**

Judy Cuddihy  
*Cold Spring Harbor Laboratory Press*

**December, 1994  
Volume 4, Number 3**

**RESEARCH**

- 139 Alteration of Hairpin Ribozyme Specificity Utilizing PCR**  
Paula DeGrandis, Arnold Hampel, Scott Galasinski, James Borneman,  
Andrew Siwkowski, and Mitchell Altschuler
- 145 Direct Gene Quantitation by PCR Reveals Differential Accumulation  
of Ectopic Enzyme in Rat-1 Cells, v-fos Transformants,  
and Revertants**  
M. Bahman Bahrmanian and Helmut Zarbl
- 154 Quantitative Analysis of Gene Expression in Different Tissues by  
Template-calibrated RT-PCR and Laser-induced Fluorescence**  
Wolfram J.P. Karges, Roger Gaedigk, and H.-Michael Dosch
- 160 Quantitation of mRNA Species by RT-PCR on Total  
mRNA Population**  
Samar Hamoui, Jean-Pierre Benedetto, Maurice Garret, and Jacques Bonnet
- 167 A Competitive Deletion Mutant Quantitative PCR Assay for  
Angiotensin-converting Enzyme mRNA in Smooth Muscle Cells**  
Joseph J. Lanzillo, Xue-Jun Kong, and Barry L. Fanburg
- 172 Minimal Length Requirement of the Single-stranded Tails for  
Ligation-independent Cloning (LIC) of PCR Products**  
Charalampos Aslanidis, Pieter J. de Jong, and Gerd Schmitz
- 178 An Improved Method for Semiquantification of Gene Amplification  
from Archival Material**  
M.A. Underwood, J.M.S. Bartlett, and T.G. Cooke

**TECHNICAL TIPS**

- 185 A Comparison of Methods for RNA Extraction from Lymphocytes for RT-PCR**  
W. Liedtke, L. Battistini, C.F. Brosnan, and C.S. Raine
- 188 Improved Heteroduplex Detection of Single-base Substitutions in  
PCR-amplified DNA**  
A.V. Peeters and M.J. Kotze

(continued)

Published by Cold Spring Harbor Laboratory Press.  
Sponsored by The Perkin-Elmer Corporation.

*Editorial Staff*  
Nadine Dumser, Technical Editor  
Valerie Nicolette, Production Editor  
Doris Lawrence, Secretary  
Jim Suddaby, Design

*Advertising*  
Nancy Kuhle

**191** Wax-embedded PCR Reagents  
*Patricia Blair, Rama Ramanujam, and Brent A. Burdick*

**MANUAL SUPPLEMENT**

**195** **Getting Started: A PCR Primer**

**197** *Contents*