



H3ABioNet, a sustainable Pan-African Bioinformatics Network for Human Heredity and Health in Africa

Nicola J Mulder, Ezekiel Adebisi, Raouf Alami, et al.

Genome Res. published online December 1, 2015

Access the most recent version at doi:[10.1101/gr.196295.115](https://doi.org/10.1101/gr.196295.115)

P<P	Published online December 1, 2015 in advance of the print journal.
Accepted Manuscript	Peer-reviewed and accepted for publication but not copyedited or typeset; accepted manuscript is likely to differ from the final, published version.
Open Access	Freely available online through the <i>Genome Research</i> Open Access option.
Creative Commons License	This manuscript is Open Access. This article, published in <i>Genome Research</i> , is available under a Creative Commons License (Attribution-NonCommercial 4.0 International license), as described at http://creativecommons.org/licenses/by-nc/4.0/ .
Email Alerting Service	Receive free email alerts when new articles cite this article - sign up in the box at the top right corner of the article or click here .

Advance online articles have been peer reviewed and accepted for publication but have not yet appeared in the paper journal (edited, typeset versions may be posted when available prior to final publication). Advance online articles are citable and establish publication priority; they are indexed by PubMed from initial publication. Citations to Advance online articles must include the digital object identifier (DOIs) and date of initial publication.

To subscribe to *Genome Research* go to:
<https://genome.cshlp.org/subscriptions>

Published by Cold Spring Harbor Laboratory Press

H3ABioNet, a Sustainable Pan-African Bioinformatics Network for Human Heredity and Health in Africa

Nicola J. Mulder^{*1}, Ezekiel Adebisi², Raouf Alami³, Alia Benkahla⁴, James Brandful⁵, Seydou Doumbia⁶, Dean Everett⁷, Faisal M. Fadlilmola⁸, Fatima Gaboun⁹, Simani Gaseitsiwe¹⁰, Hassan Ghazal¹¹, Scott Hazelhurst¹², Winston Hide¹³, Azeddine Ibrahim¹⁴, Yasmina Jaufferally Fakim¹⁵, C. Victor Jongeneel¹⁶, Fourie Joubert¹⁷, Samar Kassim¹⁸, Jonathan Kayondo¹⁹, Judit Kumuthini²⁰, Sylvester Lyantagaye²¹, Julie Makani²², Ahmed Mansour Alzohairy²³, Daniel Masiga²⁴, Ahmed Moussa²⁵, Oyekanmi Nash²⁶, Odile Ouwe Missi Oukem-Boyer²⁷, Ellis Owusu-Dabo²⁸, Sumir Panji¹, Hugh Patterton²⁹, Fouzia Radouani³⁰, Khalid Sadki³¹, Fouad Seghrouchni³², Özlem Tastan Bishop³³, Nicki Tiffin³⁴, Nzovu Ulenga³⁵, and the H3ABioNet Consortium[#], as members of the H3Africa Consortium.

Note, after the first author, the remaining authors are listed in alphabetical order.

1. Computational Biology Group, Department of Integrative Biomedical Sciences, Institute of Infectious Disease and Molecular Medicine, Faculty of Health Sciences, University of Cape Town, South Africa
2. Covenant University Bioinformatics Research (CUBRe) and Department of Computer and Information Sciences, Covenant University, Km 10 Idiroko Road, PMB 1023, Ota, Ogun State, Nigeria.
3. Centre National de Transfusion Sanguine, Rabat, Morocco
4. Institute Pasteur of Tunis, Tunisia
5. Noguchi Memorial Institute for Medical Research, University of Ghana, Ghana
6. University of Sciences, Techniques and Technology of Bamako, USTTB, Mali
7. Malawi-Liverpool-Wellcome Trust Clinical research Programme, Malawi / Institute of Infection and Global Health, University of Liverpool
8. Centre for Bioinformatics and Systems Biology, Faculty of Science, University of Khartoum, Sudan/Future University of Sudan
9. Institut National de Recherche Agronomique, Morocco
10. Botswana Harvard AIDS Institute Partnership, Botswana
11. University Mohammed First, Morocco
12. University of the Witwatersrand, South Africa
13. Harvard T. H. Chan School of Public Health, USA
14. Faculté de Médecine et de Pharmacie de Rabat, Université Mohammed V Souissi, Morocco
15. University of Mauritius, Mauritius
16. National Center for Supercomputing Applications and Institute for Genomic Biology, University of Illinois at Urbana-Champaign
17. University of Pretoria, South Africa
18. Medical Biochemistry & Molecular Biology Department, Faculty of Medicine, Ain Shams University, Egypt
19. Uganda Virus Research Institute, Uganda
20. Centre for Proteomic and Genomic Research, South Africa
21. University of Dar es Salaam, Tanzania
22. Muhimbili University of Health and Allied Sciences, Tanzania
23. Genetics Department, Faculty of Agriculture, Zagazig University, Egypt
24. International Centre of Insect Physiology and Ecology, Kenya
25. Abdelmalek Essaadi University, ENSA, Tangier, Morocco
26. National Biotechnology Development Agency, Nigeria
27. Centre de Recherche Médicale et Sanitaire, Niamey, Niger
28. Kumasi Centre for Collaborative Research in Tropical Medicine / Kwame Nkrumah University of Science and Technology, Ghana
29. University of the Free State, South Africa

30. Institut Pasteur du Maroc, Morocco
31. Faculty of Sciences of Rabat, University Mohammed V of Rabat, Morocco
32. Institut National d'Hygiène, Rabat, Morocco
33. Research Unit in Bioinformatics, Department of Biochemistry and Microbiology, Rhodes University, P.O. Box 94, Grahamstown 6140, South Africa
34. South African National Bioinformatics Institute/Medical Research Council of South Africa Bioinformatics Unit, University of the Western Cape, South Africa
35. Management and Development for Health, Tanzania

*Corresponding author: Nicola Mulder

Address: Computational Biology Group, Department of Integrative Biomedical Sciences, Institute of Infectious Disease and Molecular Medicine, Faculty of Health Sciences, University of Cape Town, South Africa

Telephone number: +27 21 4066058

E-mail address: nicola.mulder@uct.ac.za

Running title: H3ABioNet bioinformatics network

Keywords: bioinformatics, genomics, capacity building, computing infrastructure

ABSTRACT

The application of genomics technologies to medicine and biomedical research is increasing in popularity, made possible by new high-throughput genotyping and sequencing technologies and improved data analysis capabilities. Some of the greatest genetic diversity among humans, animals, plants and microbiota occurs in Africa, yet genomic research outputs from the continent are limited. The Human Heredity and Health in Africa (H3Africa) initiative was established to drive the development of genomic research for human health in Africa, and through recognition of the critical role of bioinformatics in this process, spurred the establishment of H3ABioNet, a pan-African Bioinformatics network for H3Africa. The limitations in bioinformatics capacity on the continent have been a major contributory factor to the lack of notable outputs in high-throughput biology research. While pockets of high quality bioinformatics teams have existed previously, the majority of research institutions lack experienced faculty who can train and supervise bioinformatics students. H3ABioNet aims to address this dire need, specifically in the area of human genetics and genomics, but knock-on effects are ensuring this extends to other areas of bioinformatics. Here we describe the emergence of genomics research and the development of bioinformatics in Africa through H3ABioNet.

INTRODUCTION

Functional genomics approaches aiming to improve human health are revolutionising medicine. Next generation sequencing (NGS) approaches have been used to identify genetic polymorphisms that underlie susceptibility to a rapidly expanding list of diseases, and sequencing and interpretation of genomes as part of public health studies are becoming increasingly commonplace. Africa is the cradle of mankind and is host to the greatest human genetic diversity in the world (Schlebusch et al. 2012), as well as unique flora, fauna and microbiota. A better understanding of the extensive genetic and microbiota diversity in African populations presents a compelling opportunity for the delivery of more accurate diagnoses, new drugs, precision medicine, and a deeper understanding of susceptibility and resistance to infections and metabolic disease. In stark contrast to this opportunity, Africa's genomic analysis capacity has yet to reach a viable critical mass.

The development and application of effective genomic medicine is heavily dependent upon the ability to aggregate and analyse large datasets and to interpret and disseminate knowledge across multiple biomedical disciplines. In Africa, there are few centres of expertise where large numbers of clinicians, genome scientists and bioinformaticians are sited to jointly perform competitive genomic medical research. Over the last 10 years, African bioinformatics groups have been collaborating to develop the capacity to perform globally competitive research on public and local datasets, in spite of the geographical distances separating these groups (Ramsay et al. 2011). These efforts recently received a major funding boost that has catalysed the nascent African genomics research community. The H3Africa Bioinformatics Network (H3ABioNet) has been established with a grant from the National Institutes of Health (NIH) Common Fund, as part of its contributions to the Human Heredity and Health in Africa (H3Africa: <http://www.h3africa.org>) initiative (The H3Africa Consortium 2014). In this article, we describe the development of bioinformatics in Africa through H3ABioNet, which is tightly coupled to the emergence of genomics research on diseases relevant to African populations.

Genomics Research in Africa

Until recently, African populations were poorly represented in human genome studies (Schlebusch et al. 2012, Bustamante et al. 2011), despite the enormous genetic diversity found on the continent (Sirugo et al. 2008, Rotimi and Jorde 2010). A small number of Genome-wide Association Studies (GWAS) have been undertaken in African populations without significant European admixture or in

African populations outside the United States, for example to identify genetic determinants of malaria susceptibility in children in West Africa (Jallow et al. 2009) as well as tuberculosis susceptibility (Thye et al. 2010, El Baghdadi et al. 2006, Chimusa et al., 2013). Recently, this type of research led to the discovery of two novel resistance loci for severe malaria (Timmann et al. 2012). Genome-wide single nucleotide polymorphism (SNP) analysis has also been infrequently used to study population diversity in Africa (Pagani et al. 2012, Henn et al. 2011). The HapMap project has subsequently brought African genetic diversity into the public domain, and has provided genome-wide SNP data for Yoruba (Nigeria), Luhya and Maasai (Kenya) populations (The HapMap Consortium 2007). The first genome of a Nigerian individual was only sequenced in 2008 (Bentley et al. 2008), seven years after the first human genome sequence was published, and five Southern African genomes were subsequently published in 2012 (Schuster et al. 2010). The 1000 Genomes project has taken up the challenge of bringing more complete low-coverage African genomes into the public domain, by including additional populations from Malawi, The Gambia and Ghana (The 1000 Genomes Project Consortium 2010). More recently a larger dataset of African genomic data has been published (Gurdasani et al., 2015).

Genomic studies in African populations promise to be useful in the prediction and development of specific therapies and vaccines. Low levels of funding and a lack of infrastructure and data analysis capacity, have, however, hampered the expansion of genomic studies in Africa and have resulted in a one-way flow of samples, data and skills out of African countries. Only recently have African governments begun to regulate this outflow (de Vries and Pepper 2012). To date, few African scientists have been involved in genomics studies on African individuals, and there has concomitantly been poor capacity development for genomics within the continent (Wonkam et al. 2011). In this regard, bioinformatics is one of the key areas to be developed toward competitive genomics research.

The H3Africa Initiative

Responding to the challenge of making human genomics research in Africa a truly African endeavour, the H3Africa initiative was developed, through substantial funding from both the NIH Common Fund and the Wellcome Trust. H3Africa is intended to encourage a contemporary research approach by African investigators to study the genomic and environmental determinants of common diseases for improving the health of African populations (The H3Africa Consortium 2014). Projects funded to date cover a wide range of communicable and non-communicable diseases, as well as the study of microbiomes. Specific goals of H3Africa include establishing collaborative networks of African researchers pursuing genomics-based, disease-oriented projects and creating or expanding infrastructure for genomic medicine research. One of the key areas identified, was the need to develop the infrastructure that would enable scientists in Africa to handle large datasets and increase the capacity to analyse them. This infrastructure includes the bioinformatics network, H3ABioNet, which forms the backbone of the H3Africa initiative.

RESULTS AND DISCUSSION

Establishment of H3ABioNet

Prior to H3ABioNet, bioinformatics groups on the continent were active, but expertise was relatively sparse, and mostly localised in South Africa. Founded in 2004, the African Society for Bioinformatics and Computational Biology (ASBCB) was the first continent-wide network of researchers in the field of bioinformatics; it is now a regional network affiliated with the International Society of Computational Biology (ISCB). A formal organization to develop African bioinformatics based on a system of collaborating nodes, ABioNet (African Bioinformatics Network), was proposed at a WHO-supported meeting in Abuja in 2008. Without follow-up funding, however, the development of

ABioNet was stifled until recently, when the announcement of the H3Africa initiative provided the springboard for the establishment of H3ABioNet. The network, which is run from a central node at the University of Cape Town, consists of over 30 nodes across 15 African countries (Figure 1, see <http://www.h3abionet.org/home/consortium> for complete list), with 1 partner in the United States (USA) and 1 in the United Kingdom (UK). The institutions range in their current capacity from full nodes with a track record in bioinformatics research, training and support, through associate nodes with some bioinformatics activities, to development nodes with little or no bioinformatics capacity. Altogether, the network funds over 40 staff and students and includes more than 80 additional members who contribute to H3ABioNet activities. The nodes collectively provide excellent expertise in different areas of bioinformatics including functional genomics, human population genetics, GWAS and NGS analysis, microbiome analysis, SNP linked protein structure analysis and biomedical and clinical data storage and management.

The mandate of H3ABioNet (<http://www.h3abionet.org/>) is to develop and roll out a co-ordinated bioinformatics research infrastructure that is tightly coupled to a sophisticated pan-African bioinformatics training programme. In modern genome sequence analysis, analytical tools are moving to where the high dimensional data are stored, so the expertise for genome data manipulation and analysis in Africa are being developed at the source of this data. The network seeks to exploit the development and implementation of best practices in genome bioinformatics in local centres while keeping an eye on the rapidly evolving field through collaboration with centres of expertise in the USA (Harvard University and University of Illinois) and elsewhere.

H3ABioNet faces a number of high priority challenges that need to be overcome to enable genomics research and competitiveness on the continent. These include, but are not limited to: poor Internet connectivity for communication, data access, transfer and remote computing; lack of significant computing infrastructure for data storage and processing; lack of bioinformatics skills in clinical genetics and genomics teams performing genomics research; and disparate pockets of bioinformatics expertise across the continent. Some of the major objectives of H3ABioNet are thus to develop human resources through the training of bioinformaticians and researchers in computational techniques, and to develop a robust continent-wide research infrastructure that provides access to bioinformatics tools, computing resources and technical and data management expertise. The network activities are being achieved through dedicated working groups and task forces comprising representatives from multiple countries. Full nodes, including those situated abroad, are helping to build capacity in the less resourced nodes, thus ensuring the transfer and dissemination of knowledge and skills within Africa. Also, some nodes have already or plan to set up their own bioinformatics centers dedicated to training and research in bioinformatics. An example is the Moroccan Center of Bioinformatics which was launched in Tangier in September 2015 with the support of H3ABioNet.

Building computing infrastructure

Analysis and management of large data sets requires computing resources and Internet bandwidth, both of which can be limiting in Africa. An infrastructure working group developed a set of specifications required for different types of genomic data analyses, and nodes purchased the equipment relevant to their needs. A total of 15 servers, 512 cores, 2384 GB RAM and 120 TB storage have been placed across the continent in the last 2 years. Systems Administrators at these nodes were trained on how to install and manage their equipment, as well as in high performance and cloud computing. A Systems Administrator task force was set up to provide ongoing support to ensure that the equipment is used effectively. This task force is also available, through requests to our help desk, to address the Information Technology needs of development and associate nodes as well as H3Africa project sites with little expertise.

Internet connections in Africa are often slow and unreliable. However, there is a clear need for research groups across the continent to be able to share datasets larger than those that can be attached to a standard E-mail. The Globus Online service, based on the GridFTP data transfer protocol, provides a transparent, reliable, secure and fault-tolerant method for transferring large datasets over the Internet, regardless of the bandwidth and availability of the path between sender and recipient (Foster, 2011). H3ABioNet has installed and tested Globus Online endpoints at a gradually increasing number of nodes, with the goal to reach all of them by early 2016. In parallel, it has developed tools, based on the iPerf toolbox (<http://iperf.sourceforge.net/>), to monitor the performance of network connections, and is installing these at the same time.

Tool development and user support

H3ABioNet is working on addressing specific training and development needs of the H3Africa consortium for all aspects of projects, from patient databases to Laboratory Information Management System (LIMS) interoperability to genomic data processing, analysis and interpretation. As an example, the National Institute of Hygiene node is setting up a LIMS application in the National Institute of Hygiene of Morocco. This project, co-financed by the European Union is taking advantage of the training received by the members of the node through H3ABioNet. Some consortium-wide needs being addressed include mapping of biospecimen, phenotype and experimental data to ontologies and development of a query interface for this data to provide a harmonised catalogue of the consortium products that will be available in biorepositories and public databases. It is also developing a tool for tracking patient recruitment from different sites across projects; and an H3Africa data archive to facilitate submission to the European Genome-phenome Archive (EGA), ensuring compliance with the consortium data sharing, access and release policy.

H3ABioNet has facilitated transfer of large datasets from collaborating sites abroad using Globus Online, and provided support for trivial as well as complex data analysis queries posed to the help desk. In order for H3ABioNet nodes to effectively contribute to the analysis of high-throughput data generated by H3Africa projects, it is essential that they first demonstrate that they have mastered the requisite analytical and computational methods for this analysis. An ad hoc task force was created to develop standard operating procedures (SOPs) for analysis of data that will be produced by H3Africa projects, i.e. genotypes derived from SNP arrays, and high-throughput data from whole exome or whole genome sequencing. These SOPs are available from the website (<http://www.h3abionet.org/tools-and-resources/sops>) and include suggested software and computing resources required for the pipeline. The task force has also produced practice and test datasets for the nodes to hone their skills. The nodes are being evaluated on their performance for specific workflows using an evaluation protocol and independent external experts who judge the quality of the analysis. This assessment will go a long way towards establishing the expertise of African groups in the analysis of human genomic data, and instilling confidence in our clinical genetics colleagues that this analysis can be performed to a high standard on the continent. For general bioinformatics support, a user-friendly online help desk is available (<http://www.h3abionet.org/support>), backed by a team with wide ranging expertise.

Human capacity development

A key aim of H3ABioNet is to enable African scientists to analyse their own data. This is being achieved through a well-coordinated training and support programme. The training programme for bioinformatics users (usually biologists and clinicians) includes short specialised courses and internships in the nodes (Tastan Bishop et al. 2015). This approach is also being used to train bioinformaticians, with a stronger focus on the technical aspects of the topics as well as on computational biology, statistics and computer science. Where Internet is limited, we make use of eBioKits (<http://www.ebiokit.eu/>), which are standalone devices for bioinformatics data analysis, and

we also try to ensure the participants have access to comparable tools and resources when they return home. Some nodes with a better Internet connectivity work with Galaxy (<https://galaxyproject.org/>), which is a web-based analysis platform where researchers can perform, reproduce and share data and complete workflows. H3ABioNet has developed training-related resources to aid with the development and organisation of new courses, and is actively following up with trainees to determine the impact of courses through a Trainer-trainee database. In order to reach as wide an audience as possible, we have used the Vidyo system (www.vidyo.com) to live stream courses to distant classrooms and record lectures to make them available to others in the network. To enhance and sustain scientific cooperation between trainees within H3ABioNet and H3Africa, we launched a bioinformatics webinar series involving H3ABioNet staff which is open to the whole H3Africa consortium. H3ABioNet members also work with the Global Organisation for Bioinformatics Learning, Education & Training (GOBLET) (Attwood et al. 2015) to ensure training activities are aligned with international education and training best practices.

To date H3ABioNet has run courses ranging from the technical (systems administration, cloud computing, data security), to quantitative (biostatistics, programming), to applied (Genome wide association studies (GWAS), NGS, metagenomics, etc.) areas of computational biology and genomics, training over 450 African students and researchers (summarised in figure 2). Through these and a dedicated train-the-trainer programme, courses are increasingly being taught by local trainers. Training faculty is also essential to build the next generation of bioinformatics educators and supervisors, which are currently in short supply on the continent. In parallel with focused training, the network is currently developing curricula for degree programmes at African institutions, and has established an African Bioinformatics Education Committee to achieve this. In this way we are addressing the very source of the problem of insufficient trained human capacity in bioinformatics. The first Masters programme in bioinformatics in Mali started in early 2015 using the curriculum provided by this committee. Though it reaches a smaller audience, the H3ABioNet internship programme has also been successful at enabling skills transfer and analysis of existing datasets. For example sickle cell disease GWAS datasets generated from prior projects that were not yet analysed due to lack of skills, were analysed during an internship at an H3ABioNet node. The H3ABioNet training program is closely aligned with that of the larger H3Africa consortium to ensure coordination of training activities, and that the bioinformatics training needs of the consortium are met.

Research

Although research activities were not prioritised by the NIH for the bioinformatics network, some research has been necessary, such as development of new algorithms, visualisation tools and workflows relevant to genomic analysis of African populations. Specific examples include the development of a Job Management System (JMS), a structural analysis pipeline for non-synonymous coding variants, an improved recombination tool for human sequences, more robust admixture analysis tools for multi-way admixed populations, and new databases integrating genotype and phenotype data. The JMS (Brown et al. 2015) has been developed for research groups of the H3Africa Consortium for two distinct purposes: managing and monitoring their servers, and using and developing tools and workflows. Currently, a number of H3ABioNet members are working to put pipelines and workflows together with the aim of making them public via JMS. One recently developed pipeline, for ligand docking and molecular dynamics calculations, has already been applied to identify potential hits for malaria (Musyoka et al., 2015).

In addition to the development of new algorithms or pipelines, H3ABioNet is using research projects as a capacity building exercise, promoting inter-node collaborations where groups with complementary areas of expertise can collectively work on a dataset and facilitate cross-pollination of skills. A number of collaborative research projects have been established between participating nodes, which we hope will lead to more efficient addressing of health issues in a resource-poor

environment, increased research output from the continent and promotion of skills retention to ensure long-term sustainability of the network and of genomic medicine research in Africa. One example is a collaboration between CERMES in Niger and the H3ABioNet node at the University of Illinois, working on genetic polymorphism data of *Plasmodium falciparum* populations infecting patients in different parts of Niger. Their analysis has revealed extensive polymorphisms in the sizes of the parasite's *msp1* and *msp2* genes, indicating the presence of different strains in different parts of the country as well as the fact that most patients had been multiply infected (Laminou et al, unpublished results). The H3ABioNet Node at the National Biotechnology Development Agency (NABDA), Abuja, Nigeria is conducting research on reference genome sequences of the Human Microbiome Project (Isokpehi et al. 2014). The primary goal is to understand metabolic pathways encoded in microbial genomes that could influence human health. Additionally, in collaboration with the University of Illinois's Institute for Genomic Biology, metagenomics data has been generated on leg ulcer specimens from individuals with sickle cell disease in Ibadan, Nigeria. The H3ABioNet NABDA node is coordinating the sickle cell leg ulcer study, where dedicated researchers are analyzing the datasets for biological significance, and developing models and workflows for integrating and evaluating datasets (including human genome variations, microbial community diversity and socioeconomic determinants) to better understand genetic and environmental predispositions to leg ulcers in sickle cell disease.

Another research project was initiated by students attending an H3ABioNet course at Covenant University, Ota, Nigeria. They started a project to study the genetic components underlying uterine fibroid disease among different African populations. They established contacts with relevant research groups around the continent and have submitted a proposal for funding of the project. In a final example of significance to the H3Africa consortium, members of H3ABioNet are working with international teams to design a new genotyping array that is more relevant to African populations using over 3000 full genome sequences from ethnic groups across a broad range of African countries. The array is due to be ready for use by early 2016.

CONCLUSIONS

As mentioned previously, the high priority problem H3ABioNet seeks to address is the lack of infrastructure and skills for management and analysis of genomic data. The H3Africa consortium is preparing to deliver genomic data for in excess of 50,000 samples and this data should be analysed in Africa. The key strategy of H3ABioNet for building bioinformatics capacity for genomics in Africa is pooling of resources and exploiting the skills present to develop the weaker nodes and provide a high quality training and support platform. This coordinated approach and support provided through mailing lists, working groups and task forces is a theme that runs through all the H3ABioNet activities to ensure that they are correctly implemented. The network will also contribute to H3Africa and other genomics projects through its legacy of developing and providing access to computing infrastructure. It is responding to the needs of the projects by developing new and supporting existing algorithms, workflows, data management systems and data integration platforms. A new project on the horizon, which will include contributions from multiple nodes, is the planned development of a resource for mining African variants. It is clear that the H3Africa researchers favour a local resource for their data in addition to the required submission to public repositories.

The establishment of H3ABioNet comes at a time where there has been considerable investment in information communication and technology (ICT) by many African countries. These countries have ensured that the national Internet infrastructure is accessible at a subsidised rate to universities and research institutions. Furthermore, the rapid growth of mobile telephony as well as the use of information management systems is changing the way health and biomedical research is being conducted in Africa. As a consequence, strategic investment in bioinformatics in Africa will enable African scientists to become equitable partners in genomic research with scientists in countries

outside of Africa. According to the World Bank, Sub-Saharan countries comprise one of the fastest growing regions with a projected GDP growth of 4.6 to 5.1 for 2017. Governments are increasingly investing in higher education and research facilities to tackle their own health and agricultural problems. The African Union (AU) is emphasising strengthening universities and research institutions with the prevention and control of diseases as one of the priorities. The H3ABioNet initiative is timely and in line with the vision of the AU to enhance the technical competencies of young researchers in the field of bioinformatics for applications in both health and nutrition. While government support for fields such as bioinformatics is increasing with the increased visibility through projects such as H3ABioNet, most often they do not have funds available to commit. However, with the management and analysis of big data in the biomedical sciences becoming more crucial to research, nodes need to lobby with their governments to encourage investment in developing essential skills in data science for the future. Having said that, involvement in H3ABioNet has had a financial impact on some nodes already, where it has led to co-funding or other institutional support, in a clear demonstration of the positive knock-on effect of the network. H3ABioNet is also building strong informal scientific networks across Africa, which is a very important factor in research capacity development.

Long term sustainability is a key objective of the network but is not realistically achievable within the first five years of its existence. However, several things have been put in place to contribute to sustainability. The project has increased computing facilities and provided for eBioKits in many nodes, which will remain in place beyond the end of the five year project. In Egypt, H3ABioNet funds facilitated establishment of an eBioKit-based computer laboratory connected to the internet. Many introductory and advanced bioinformatics workshops are running in this lab for Medical and Computer Science graduates. These courses are reaching different Universities and Institutions in Egypt and the Middle East, and course fees are covering the trainer's salaries, stationary and other logistics. The H3ABioNet train-the-trainer program is contributing to the development of local trainers and new postgraduate degrees have been developed, which are supported by university funds. New staff positions have been created by H3ABioNet, a handful of which have subsequently been taken over by institutions. In addition, joint collaborative project funding proposals are being developed using bilateral agreements between some of the participating countries, and multi-institution research project proposals have been submitted to funding agencies in response to specific calls.

In summary, the funding received from the NIH for the H3ABioNet network provides a unique opportunity to develop durable and sustainable bioinformatics skills among African researchers and to build the necessary computational infrastructure. The enormous genetic and microbiota diversity in Africa, the cradle of humanity, will provide a rich terrain to study the relationship between this diversity and susceptibility to diseases, and possibly to suggest new approaches to disease management for the benefit of the continent and the world at large. Through its efforts, H3ABioNet plans to boost biomedical genomics capacity in Africa, to accelerate the rate at which African scientists discover the genetic background underlying important diseases.

#H3ABioNet Consortium

Marion Adebisi², Azza E. Ahmed⁸, Rehab I. Ahmed⁸, Maaike Alearts⁷, Mohamed Alibi⁴, Shaun Aron¹², Shakuntala Baichoo¹⁵, Hocine Bendou³⁴, Gerrit Botha¹, David Brown³³, Emile Chimusa¹, Alan Christoffels³⁴, Jennifer Cornick⁷, Jean-Baka Domelevo Entfellner³⁴, Chris Fields¹⁶, Anne Fischer²⁴, Junaid Gamielien³⁴, Kais Ghedira⁴, Amel Ghouila⁴, Shannan Ho Sui¹³, Itunuoluwa Isewon², Raphael Isokpehi²⁶, Mahjoubeh Jalali Sefid Dashti³⁴, Arox Kamng'ona⁷, Radhika S Khetani¹³, Anmol Kiran⁷, Benard Kulohoma²⁴, Benjamin Kumwenda^{7,20}, Dan Lapine¹⁶, Liudmila Sergeevna Mainzer¹⁶, Suresh Maslamoney¹, Mamana Mbiyavanga²⁰, Ayton Meintjes¹, Flora Elias Mlyango²¹, Bruno Mmbando²², Somia A. Mohammed⁸, Phelelani Mpangase¹², Chisomo Msefula⁷, Siana Nkya Mtatiro²², Dunfunk Mugutso¹, Zahra Mungloo-Dilmohammud¹⁵, Patrick Musicha⁷, Victoria Nembaware¹, Victor Chukwudi

Osamor², Jelili Oyelade², Gloria Rendon¹⁶, Gustavo A Salazar¹, Samson Pandam Salifu²⁸, Raphael Sangeda²², Oussema Souiai⁴, Peter Van Heusden³⁴, Mamadou Wele⁶.

ACKNOWLEDGEMENTS

H3ABioNet is supported by the National Institutes of Health Common Fund under grant number U41HG006941. The content is solely the responsibility of the authors and does not necessarily represent the official views of the National Institutes of Health. The authors would like to acknowledge the contributions to H3ABioNet activities of all the consortium members. A full list of H3ABioNet consortium members can be found at <http://www.h3abionet.org/home/consortium>.

DISCLOSURE DECLARATION

No conflicts to disclose

FIGURE LEGENDS

Figure 1. Map of Africa showing the distribution of nodes in the H3ABioNet network. The two extra dots on the bottom left are for the USA and UK partners and the one on the right is Mauritius.

Figure 2. Summary of H3ABioNet courses run and number of people trained.

REFERENCES

- Attwood, T.K., Bongcam-Rudloff, E., Brazas, M.D., Corpas, M., Gaudet, P., Lewitter, F., Mulder, N., Palagi, P.M., Schneider, M.V., van Gelder, C.W.G. and the GOBLET Consortium. 2015. GOBLET: the Global Organisation for Bioinformatics Learning, Education and Training. *PLOS Comp Biol* **11(4)**: e1004143.
- Bentley DR, Balasubramanian S, Swerdlow HP, Smith GP, Milton J, Brown CG, Hall KP, Evers DJ, Barnes CL, Bignell HR, et al. 2008. Accurate whole human genome sequencing using reversible terminator chemistry. *Nature* **456(7218)**: 53–59.
- Brown D, Penkler D, Musyoka T, Tastan Bishop Ö. 2015. JMS: An open source workflow management system and web-based cluster front-end for high performance computing. *PLOS One* **10(8)**: e0134273.
- Bustamante CD, Burchard EG, De la Vega FM. 2011. Genomics for the world. *Nature* **475(7355)**: 163–165.
- Chimusa ER, Zaitlen N, Daya M, Möller M, van Helden PD, Mulder NJ, Price AL, Hoal EG. 2014. Genome-wide association study of ancestry-specific TB risk in the South African Coloured population. *Hum Mol Genet* **23(3)**: 796-809. doi: 10.1093/hmg/ddt462.
- de Vries J, Pepper MJ. 2012. Genomic sovereignty and the African promise: mining the African genome for the benefit of Africa. *Med Ethics* **38(8)**: 474-478.
- El Baghdadi J, Orlova M, Alter A, Ranque B, Chentoui M, Lazrak F, Archane MI, Casanova JL, Benslimane A, Schurr E, et al. 2006. An autosomal dominant major gene confers predisposition to pulmonary TB in adults. *J Exp Med* **203**: 1679–1684.
- Foster I. 2011. Globus Online: Accelerating and Democratizing Science through Cloud-Based Services. *Internet Computing, IEEE*, **15(3)**: 70-73.
- Gurdasani D, Carstensen T, Tekola-Ayele F, Pagani L, Tachmazidou I, Hatzikotoulas K, Karthikeyan S, Iles L, Pollard MO, Choudhury A, et al. 2015. The African Genome Variation Project shapes medical genetics in Africa. *Nature* **517(7534)**: 327-32. doi: 10.1038/nature13997.
- The H3Africa Consortium. 2014. Enabling African Scientists to Engage Fully in the Genomic Revolution. *Science* **344(6190)**: 1346-1348.
- The HapMap Consortium. 2007. A second generation human haplotype map of over 3.1 million SNPs. *Nature* **449(7164)**: 851-861.
- Henn BM, Gignoux CR, Jobin M, Granka JM, Macpherson JM, Kidd JM, Rodríguez-Botigué L, Ramachandran S, Hon L, Brisbin A, et al. 2011. Hunter-gatherer genomic diversity suggests a southern African origin for modern humans. *Proc Natl Acad Sci U S A* **108(13)**: 5154–5162.
- Isokpehi RD, Udensi UK, Simmons SS, Hollman AL, Cain AE, Olofinsae SA, Hassan OA, Kashim ZA, Enejoh OA, Fasesan DE, et al. 2014. Evaluative profiling of arsenic sensing and regulatory systems in the human microbiome project genomes. *Microbiology insights* **7**: 25-34.

Jallow M, Teo YY, Small KS, Rockett KA, Deloukas P, Clark TG, Kivinen K, Bojang KA, Conway DJ, Pinder M, et al. 2009. Genome-wide and fine-resolution association analysis of malaria in West Africa. *Nat Genet* **41(6)**: 657–665.

Musyoka TM, Kanzi AM, Loob K Tastan Bishop Ö. 2015. Analysis of Non-Peptidic Compounds as Potential Malarial Inhibitors against Plasmodial Cysteine Proteases via Integrated Virtual Screening Workflow. *J Biomol Struct Dyn* Accepted, DOI: 10.1080/07391102.2015.1108231.

Pagani L, Kivisild T, Tarekegn A, Ekong R, Plaster C, Gallego Romero I, Ayub Q, Mehdi SQ, Thomas MG, Luiselli D, et al. 2012. Ethiopian genetic diversity reveals linguistic stratification and complex influences on the ethiopian gene pool. *Am J Hum Genet* **91(1)**: 83–96.

Ramsay M, Tiemessen CT, Choudhury A, Soodyall H. 2011. Africa: the next frontier for human disease gene discovery? *Hum Mol Genet* **20(R2)**: R214–R220.

Rotimi CN, Jorde LB. 2010. Ancestry and disease in the age of genomic medicine. *N Engl J Med* **363(16)**: 1551-1558.

Schlebusch CM, Skoglund P, Sjödin P, Gattepaille LM, Hernandez D, Jay F, Li S, De Jongh M, Singleton A, Blum MG, et al. 2012. Genomic Variation in Seven Khoe-San Groups Reveals Adaptation and Complex African History. *Science* **338(6105)**: 374-379.

Schuster SC, Miller W, Ratan A, Tomsho LP, Giardine B, Kasson LR, Harris RS, Petersen DC, Zhao F, Qi J, Alkan C, et al. 2010. Complete Khoisan and Bantu genomes from Southern Africa. *Nature* **463(7283)**: 943–947.

Sirugo G, Hennig BJ, Adeyemo AA, Matimba A, Newport MJ, Ibrahim ME, Ryckman KK, Tacconelli A, Mariani-Costantini R, Novelli G, et al. 2008. Genetic studies of African populations: an overview on disease susceptibility and response to vaccines and therapeutics. *Hum Genet* **123(6)**: 557-598.

Tastan Bishop Ö, Adebisi EF, Alzohairy AM, Everett D, Ghedira K, Ghouila A, Kumuthini J, Mulder NJ, Panji S, Patterson HG, et al. 2015. Bioinformatics Education - Perspectives and Challenges out of Africa. *Brief Bioinform* **16(2)**: 355-364.


The 1000 Genomes Project Consortium. 2010. A map of human genome variation from population-scale sequencing. *Nature* **467**: 1061–1073.

Thye T, Vannberg FO, Wong SH, Owusu-Dabo E, Osei I, Gyapong J, Sirugo G, Sisay-Joof F, Enimil A, Chinbuah MA, et al. 2010. Genome-wide association analyses identifies a susceptibility locus for tuberculosis on chromosome 18q11.2. *Nat Genet* **42(9)**: 739-741.

Timmann C, Thye T, Vens M, Evans J, May J, Ehmen C, Sievertsen J, Muntau B, Ruge G, Loag W, et al. 2012. Genome-wide association study indicates two novel resistance loci for severe malaria. *Nature* **489(7416)**: 443-446.

Wonkam A, Kenfack MA, Muna WF, Ouwe-Missi-Oukem-Boyer O. 2011. Ethics of human genetic studies in sub-saharan Africa: the case of Cameroon through a bibliometric analysis. *Dev World Bioeth* **11(3)**: 120-127.

Downloaded from genome.cshlp.org on June 13, 2026. Published by Cold Spring Harbor Laboratory Press



H3ABioNet and H3Africa Personnel trained at H3ABioNet Workshops from May 2013 to March 2015

