

References used in Supplementary Materials

- Bailey, A.M. and Posakony, J.W. 1995. Suppressor of hairless directly activates transcription of enhancer of split complex genes in response to Notch receptor activity. *Genes Dev* **9**(21): 2609-2622
- Eddy, S.R. 1998. Profile hidden Markov models. *Bioinformatics* **14**(9): 755-763.
- Finn, R.D., Tate, J., Mistry, J., Coghill, P.C., Sammut, S.J., Hotz, H.R., Ceric, G., Forslund, K., Eddy, S.R., Sonnhammer, E.L. et al. 2008. The Pfam protein families database. *Nucleic Acids Res* **36**(Database issue): D281-288.
- Gaunt, M.W. and Miles, M.A. 2002. An insect molecular clock dates the origin of the insects and accords with palaeontological and biogeographic landmarks. *Mol Biol Evol* **19**(5): 748-761.
- Lai, E.C. and Posakony, J.W. 1997. The Bearded box, a novel 3' UTR sequence motif, mediates negative post-transcriptional regulation of Bearded and Enhancer of split Complex gene expression. *Development* **124**(23): 4847-4856.
- Lai, E.C., Tam, B., and Rubin, G.M. 2005. Pervasive regulation of *Drosophila* Notch target genes by GY-box-, Brd-box-, and K-box-class microRNAs. *Genes Dev* **19**(9): 1067-1080.
- Leviten, M.W., Lai, E.C., and Posakony, J.W. 1997. The *Drosophila* gene *Bearded* encodes a novel small protein and shares 3' UTR sequence motifs with multiple Enhancer of split complex genes. *Development* **124**(20): 4039-4051.
- Rebeiz, M. and Posakony, J.W. 2004. GenePalette: a universal software tool for genome sequence visualization and analysis. *Dev Biol* **271**(2): 431-438.

- Singson, A., Leviten, M.W., Bang, A.G., Hua, X.H., and Posakony, J.W. 1994. Direct downstream targets of proneural activators in the imaginal disc include genes involved in lateral inhibitory signaling. *Genes Dev* **8**(17): 2058-2071.
- Wheelan, S.J., Church, D.M., and Ostell, J.M. 2001. Spidey: a tool for mRNA-to-genomic alignments. *Genome Res* **11**(11): 1952-1957.