

Table S3. qPCR primers used to assess ChIP target enrichment

<i>tcf7l2_1fw</i>	GGGGCTAGGTACCACAAACA
<i>tcf7l2_1rv</i>	CAAAACGGAGAATGTGCTGA
<i>tcf7l2_2fw</i>	AAATCTGGACGTTTCTGGAAGA
<i>tcf7l2_2rv</i>	AGGCAGCAAGGCCCTATTAT
<i>arx_1fw</i>	TAAGTGTGAACGCGCTTTTG
<i>arx_1rv</i>	TGTGCCTTAATTCCCTCGTC
<i>arx_2fw</i>	GTCTTCATTTCGTCCGCTTC
<i>arx_2rv</i>	TAATCCCCCAAATCCCTCT
<i>foxp2_1fw</i>	TGCGACTGGTCATTTGTGTT
<i>foxp2_1rv</i>	GTCTCTGGTCACCCAAGCAT
<i>foxp2_2fw</i>	ACCTTTCCTCCCCAAAGAGA
<i>foxp2_2rv</i>	GCCTTGACACGTCCTTGTTT
<i>prox1_1fw</i>	CTGCGCTCTCCATTATGTCA
<i>prox1_1rv</i>	TGCACTGTCCAAATTTCCAG
<i>prox1_2fw</i>	ATTTTCTCCAGGGGCTCTGT
<i>prox1_2rv</i>	TCTGCATCTGCTGACTGCTT
<i>tfap2a_1fw</i>	GCAAGCAGACGCTGATTTAG
<i>tfap2a_1rv</i>	TATGCATGACAGGCTTCCAC
<i>tfap2a_2fw</i>	GGAAGAACTGCCTGTTACAA
<i>tfap2a_2rv</i>	TTGTGCCCCGAGGTTAGAATC
<i>pax6a_1fw</i>	GGTCTCGCTCTCTTCAGCTC
<i>pax6a_1rv</i>	GTGGGCAAGGCCTACTTTTT
<i>pax6a_2fw</i>	GCGATTTTCAAAGCAGAGC
<i>pax6a_2rv</i>	AAACCTGAAGCCAAAACGAA
<i>n3 neg fw</i>	AGGCCCTAGACCAATCAAT
<i>n3 neg rv</i>	TCCAAAGTGTTTGGGACCTT