



Supplementary Figure 1




Supplementary Figure 2




Supplementary Figure 3

A




B

B3GAT2




C




D

NKX2-1



E




F

TMEM200B




Supplementary Figure 4

Normal




	N1	N2	N3
5' CpG island	0.8%	0.8%	0.8%
3' CpG island	0.4%	0.4%	0.3%
Intragenic CpG island	6.2%	6.3%	5.2%
Intergenic CpG island	2.8%	2.9%	2.4%
5' non-CpG island	1.3%	1.3%	1.3%
3' non-CpG island	1.2%	1.1%	1.2%
Intragenic non-CpG island	44.1%	43.7%	45.3%
Intergenic non-CpG island	43.2%	43.5%	43.5%

Non-CIMP



	T1	T2	T3
5' CpG island	2.8%	2.1%	2.2%
3' CpG island	0.4%	0.4%	0.4%
Intragenic CpG island	6.9%	6.9%	6.2%
Intergenic CpG island	4.2%	3.8%	3.6%
5' non-CpG island	1.8%	1.5%	1.6%
3' non-CpG island	1.3%	1.2%	1.2%
Intragenic non-CpG island	45.1%	44.9%	46.2%
Intergenic non-CpG island	37.5%	39.2%	38.5%

CIMP



	T4	T5	T6
5' CpG island	3.8%	4.0%	3.5%
3' CpG island	0.5%	0.5%	0.4%
Intragenic CpG island	7.6%	7.5%	6.6%
Intergenic CpG island	4.9%	4.9%	4.3%
5' non-CpG island	1.9%	2.0%	1.9%
3' non-CpG island	1.2%	1.2%	1.2%
Intragenic non-CpG island	43.4%	42.7%	44.6%
Intergenic non-CpG island	36.6%	37.2%	37.5%

